

# **SAFETY DATA SHEET**

# DULUX WEATHERSHIELD ROYAL SHINE

### Chemical Safety Data Sheet, Classification Name, Product Name

Section 1. Identification		
Product identifier	: DULUX WEATHERSHIELD ROYAL SHINE	
Product use	: Waterborne coating for exterior use.	
Supplier's details		
Supplier's details         AKZO NOBEL PAINTS VIETNAM LTD.         Tel: (84 274) 356 7759         Website: www.dulux.vn         1. For waterbornes:         Manufactured at:         Lot E-1-CN, My Phuoc 2 Industrial Zone, My         Phuoc Ward         Ben Cat District, Binh Duong Province         2. For putties:         Manufactured at:         HN: Lot 48, Quang Minh Industrial Park, Me Linh,         Ha Noi         HCM: No.8, Thu Duc Warehouse, Truong Tho         Ward         Thu Duc District, HCMC         3. For Solvent based product:         Manufactured at:         Lot 107, Amata Industrial Zone, Bien Hoa City,         Dong Nai Province         Tel: (84 251) 393 6389		
e-mail address	: info.vn@akzonobel.com	
Emergency telephone number	<ul> <li>Local Emergency telephone (24hours/ everyday): 1900 555 561</li> <li>Oversea Emergency telephone (8:30 - 17:30/Mon - Fri): +84 8 3822 1612</li> </ul>	
	Customer Service telephone (8:30 - 17:30/Mon - Fri):	

+84 8 3822 1612



# Section 2. Hazards identification

Classification of the substance or mixture: AQUATIC TOXICITY (ACUTE) - Category 2 AQUATIC TOXICITY (CHRONIC) - Category 3GHS label elements:Signal word: No signal word.Hazard statements:H401 - Toxic to aquatic life. H412 - Harmful to aquatic life with long lasting effects.Precautionary statements:General:P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.Prevention:P273 - Avoid release to the environment.Response:Storage:Disposal:P501 - Dispose of contents and container in accordance with all local, regional national or international regulations.		
Signal word: No signal word.Hazard statements: H401 - Toxic to aquatic life. H412 - Harmful to aquatic life with long lasting effects.Precautionary statements:General: P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.Prevention: P273 - Avoid release to the environment.Response: Not applicable.Storage: Not applicable.Disposal: P501 - Dispose of contents and container in accordance with all local, regional		
Hazard statements: H401 - Toxic to aquatic life. H412 - Harmful to aquatic life with long lasting effects.Precautionary statements:General: P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.Prevention: P273 - Avoid release to the environment.Response: Not applicable.Storage: Not applicable.Disposal: P501 - Dispose of contents and container in accordance with all local, regional	GHS label elements	
Harmonic of a quartic life with long lasting effects.Precautionary statementsGeneral: P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.Prevention: P273 - Avoid release to the environment.Response: Not applicable.Storage: Not applicable.Disposal: P501 - Dispose of contents and container in accordance with all local, regional	Signal word	: No signal word.
General: P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.Prevention: P273 - Avoid release to the environment.Response: Not applicable.Storage: Not applicable.Disposal: P501 - Dispose of contents and container in accordance with all local, regional	Hazard statements	1
P101 - If medical advice is needed, have product container or label at hand.Prevention: P273 - Avoid release to the environment.Response: Not applicable.Storage: Not applicable.Disposal: P501 - Dispose of contents and container in accordance with all local, regional	Precautionary statements	
Response: Not applicable.Storage: Not applicable.Disposal: P501 - Dispose of contents and container in accordance with all local, regional	General	
Storage       : Not applicable.         Disposal       : P501 - Dispose of contents and container in accordance with all local, regional	Prevention	: P273 - Avoid release to the environment.
<b>Disposal</b> : P501 - Dispose of contents and container in accordance with all local, regional	Response	: Not applicable.
	Storage	: Not applicable.
	Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national or international regulations.

Other hazards which do not : None known. result in classification

# Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	CAS number	%
diuron (ISO)	330-54-1	<0.25
IPBC	55406-53-6	≤0.3
OIT	26530-20-1	<0.05

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	<ul> <li>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.</li> </ul>

### Most important symptoms/effects, acute and delayed

# Potential acute health effects

Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	

Date of issue/Date of revision	: 2-7-2024	Version : 1	
Date of previous issue	: No previous validation	2/11	AkzoNobel

# Section 4. First aid measures

# Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

_	_		
Extinguishing media			
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	: None known.		
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.		
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides		
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>		
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>		

# Section 6. Accidental release measures

# Personal precautions, protective equipment and emergency proceduresFor non-emergency<br/>personnel: No action shall be taken involving any personal risk or without suitable training.<br/>Evacuate surrounding areas. Keep unnecessary and unprotected personnel from<br/>entering. Do not touch or walk through spilled material. Put on appropriate personal<br/>protective equipment.For emergency responders: If specialized clothing is required to deal with the spillage, take note of any<br/>information in Section 8 on suitable and unsuitable materials. See also the<br/>information in "For non-emergency personnel".Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways,<br/>drains and sewers. Inform the relevant authorities if the product has caused<br/>environmental pollution (sewers, waterways, soil or air). Water polluting material.<br/>May be harmful to the environment if released in large quantities.

### Methods and materials for containment and cleaning up

Date of issue/Date of revision	: 2-7-2024	Version :1	
Date of previous issue	: No previous validation	3/11	AkzoNobel

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling	l	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

# **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
diuron (ISO)	ACGIH TLV (United States, 1/2022). Notes: 1996 Adoption Refers to Appendix A Carcinogens. TWA: 10 mg/m <sup>3</sup> 8 hours.

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures



# Section 8. Exposure controls/personal protection

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Dry sanding, flame cutting and/or welding of the dry paint film will give rise to dust and/or hazardous fumes. Wet sanding/flatting should be used wherever possible. If exposure cannot be avoided by the provision of local exhaust ventilation, suitable respiratory protective equipment should be used.

# **Section 9. Physical and chemical properties and safety characteristics**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

# Appearance

·····,	1.195	
Relative density	1.195	
Relative vapor density	Not available.	
Vapor pressure	Not available.	
Lower and upper explosion limit	Greatest known range: Lower: 2.6% Upper: 12.6% (propane-1,2-diol)	
Flammability	Not available.	
Flash point	Not available.	
Boiling point, initial boiling point, and boiling range	100°C (212°F)	
Melting point/freezing point	Not available.	
рН	9 [Conc. (% w/w): 1%] [DIN EN 1262]	
Odor threshold	Not available.	
Odor	Characteristic.	
Color	White.	
Physical state	_iquid.	

# Section 9. Physical and chemical properties and safety characteristics

Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Kinematic (room temperature): 2475 mm²/s (2475 cSt) [DIN EN ISO 3219] Kinematic (40°C (104°F)): 1250 mm²/s (1250 cSt) [DIN EN ISO 3219]
Particle characteristics		
Median particle size	:	Not applicable.

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

# Information on toxicological effects

# Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
diuron (ISO)	LD50 Dermal	Rat	>5 g/kg	-
	LD50 Intraperitoneal	Mouse	500 mg/kg	-
	LD50 Oral	Rat	1 g/kg	-
	LD50 Oral	Rat	1017 mg/kg	-
	LD50 Route of exposure unreported	Rat	3400 mg/kg	-
IPBC	LD50 Oral	Rat	1470 mg/kg	-
OIT	LD50 Dermal	Rabbit	690 mg/kg	-
	LD50 Oral	Rat	550 mg/kg	-

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
OIT	Eyes - Severe irritant	Rabbit	-	100 mg	-

### Sensitization

Not available.

### **Mutagenicity**

Not available.

# **Carcinogenicity**

Not available.

# Reproductive toxicity



# Section 11. Toxicological information

### Not available.

**Teratogenicity** Not available.

# Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
	Category 2 Category 1	-	- larynx

# Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

# Numerical measures of toxicity Acute toxicity estimates



# Section 11. Toxicological information

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
diuron (ISO)		N/A	N/A		N/A
IPBC OIT	500 100	N/A 300	N/A N/A	N/A 0.5	0.5 N/A

# Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
-			-
diuron (ISO)	Acute EC50 0.0013 mg/l Fresh water	Algae - Chlorella pyrenoidosa	96 hours
	Acute EC50 0.0023 mg/l Fresh water	Algae - Chlorella pyrenoidosa	96 hours
	Acute EC50 2.26 μg/l Marine water	Algae - Coccolithus huxleyi -	72 hours
	Acute ECEO 0 0007 mg/l Erech water	Exponential growth phase	OC hours
	Acute EC50 0.0007 mg/l Fresh water	Algae - Pseudokirchneriella	96 hours
	Acute ECEO 2.4 mph Erech water	subcapitata	OC hours
	Acute EC50 2.4 ppb Fresh water	Algae - Pseudokirchneriella	96 hours
	Aguta ECE0.7.6 ug/l Ereah watar	subcapitata	72 hours
	Acute EC50 7.6 μg/l Fresh water	Aquatic plants - Lemna aequinoctialis	72 Hours
	Aguta ECEO 0 005 mg/l Erach water	•	96 hours
	Acute EC50 0.005 mg/l Fresh water	Aquatic plants - Lemna sp. Crustaceans - Ceriodaphnia	48 hours
	Acute EC50 1000 μg/l Fresh water	dubia - Neonate	40 110015
	Aguta ECE0 1700 ug/l Eraab watar	Crustaceans - Ceriodaphnia	48 hours
	Acute EC50 1700 μg/l Fresh water	dubia - Neonate	40 110015
	Acute EC50 8.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 8.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 8.6 mg/l Fresh water	Daphnia - Daphnia magna - Daphnia - Daphnia magna -	48 hours
	Acule EC50 8.6 mg/l Fresh water	Neonate	40 110015
	Acute EC50 7.2 mg/l Fresh water	Daphnia - Daphnia magna -	48 hours
	Acute LC30 7.2 mg/11 resh water	Neonate	40 110015
	Acute EC50 8.4 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1800 µg/l Fresh water	Crustaceans - Gammarus	48 hours
	Acute 2000 1000 µg/11/call water	fasciatus - Instar	40 110013
	Acute LC50 380 µg/l Fresh water	Crustaceans - Gammarus	48 hours
	Acute LCOU 500 µg/11 lesit water	lacustris	40 110013
	Acute LC50 3044 µg/l Marine water	Crustaceans - Palaemon	48 hours
	Noute 2000 0044 µg/i Manne Water	serratus - Zoea	
	Acute LC50 2900 μg/l Fresh water	Fish - Cyprinus carpio - Fry	96 hours
	Acute LC50 3100 µg/l Fresh water	Fish - Morone saxatilis	96 hours
	Acute LC50 500 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Acute LC50 1.95 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 1100 µg/l Fresh water	Fish - Salmonidae - Fry	96 hours
	Chronic NOEC 0.54 µg/l Marine water	Algae - Coccolithus huxleyi -	72 hours
		Exponential growth phase	72 110010
	Chronic NOEC 1.3 µg/l Marine water	Algae - Gracilaria tenuistipitata	4 days
	Chronic NOEC 0.283 µg/l Marine water	Algae - Nitzschia pungens	96 hours
	Chronic NOEC 0.34 $\mu$ g/l Marine water	Aquatic plants - Halodule	72 hours
		uninervis	
	Chronic NOEC 0.34 µg/l Marine water	Aquatic plants - Zostera muelleri	72 hours
	Chronic NOEC 26.4 ppb	Fish - Pimephales promelas	60 days
	Chronic NOEC 26.4 ppb	Fish - Pimephales promelas	60 days
	Chronic NOEC 26.4 ppb	Fish - Pimephales promelas	60 days
	Chronic NOEC 33.4 µg/l Fresh water	Fish - Pimephales prometas -	63 days
		Embryo	00 days
PBC	Acute EC50 956 ppb Fresh water	Daphnia - Daphnia magna	48 hours
Date of issue/Date of revision	: 2-7-2024	Version :1	<u> </u>
			<b>kzoNob</b>
Date of previous issue	: No previous validation	8/11 A	

# Section 12. Ecological information

	Acute EC50 0.16 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 500 ppb Fresh water	Crustaceans - Hyalella azteca	48 hours
	Acute LC50 2920 ppb Marine water	Crustaceans - Neomysis	48 hours
		mercedis - Adult	
	Acute LC50 40 ppb Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 95 ppb Marine water	Fish - Oncorhynchus kisutch -	96 hours
		Juvenile (Fledgling, Hatchling,	
		Weanling)	
	Acute LC50 100 ppb Fresh water	Fish - Oncorhynchus mykiss -	96 hours
		Juvenile (Fledgling, Hatchling,	
		Weanling)	
	Acute LC50 72 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 67 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 67 μg/l Fresh water	Fish - Oncorhynchus mykiss -	96 hours
		Juvenile (Fledgling, Hatchling,	
		Weanling)	0.5.1
OUT	Chronic NOEC 8.4 ppb	Fish - Pimephales promelas	35 days
OIT	Acute EC10 0.000224 mg/l	Algae - Navicula peliculosa	48 hours
	Acute EC50 0.084 mg/l	Algae - Desmodesmus	72 hours
		subspicatus	10 h a una
	Acute EC50 0.00129 mg/l	Algae - Navicula peliculosa	48 hours
	Acute EC50 0.42 mg/l	Daphnia Daphnia Daphnia magna	48 hours 48 hours
	Acute EC50 107 ppb Fresh water	Daphnia - Daphnia magna	
	Acute EC50 180 ppb Fresh water	Daphnia - Daphnia magna	48 hours 48 hours
	Acute EC50 320 ppb Fresh water Acute LC50 154 ppb Fresh water	Daphnia - Daphnia magna Fish - Notemigonus crysoleucas	96 hours
		Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 47 ppb Fresh water Acute LC50 50 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 50 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 05.5 ppb Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 8.5 ppb	Fish - Pimephales prometas	35 days
			JJ uays

# Persistence and degradability

Not available.

# **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
diuron (ISO)	2.84	5.2	low
OIT	2.45	-	low

# Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

# **Other adverse effects** : No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods	: The generation of waste should be average Disposal of this product, solutions and with the requirements of environmenta any regional local authority requirement products via a licensed waste disposal untreated to the sewer unless fully corrwith jurisdiction. Waste packaging should only be considered when recycle container must be disposed of in a safe emptied containers that have not been should only be considered when recycle container must be disposed of in a safe emptied containers that have not been should only be considered when recycle container must be disposed of in a safe emptied containers that have not been should only be considered when recycle containers that have not been safe that have not been should be containers that have not been should be considered when the containers that have not been safe that have not been s	any by-products should at a al protection and waste disponts. Dispose of surplus and I contractor. Waste should inpliant with the requirement ould be recycled. Incineration ling is not feasible. This ma way. Care should be take	all times comply osal legislation and non-recyclable not be disposed of s of all authorities on or landfill aterial and its on when handling
Date of issue/Date of revision	: 2-7-2024	Version : 1	
Date of previous issue	: No previous validation	9/11	AkzoNobel

# Section 13. Disposal considerations

liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

-		
	UN	IMDG
UN number	Not regulated.	Not regulated.
UN proper shipping name	-	-
Transport hazard class(es)	-	-
Packing group	-	-
Environmental hazards	No.	No.

# **Additional information**

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

# Section 15. Regulatory information

Safety, health and : Law on Chemicals No. 06/2007/QH12 Circular No. 32/2017/TT-BCT on Specifying and Providing Guidelines for environmental regulations specific for the product Implementation of Certain Articles of the Law on Chemicals and the Government's Decree No.113/2017/ND-CP : Applicable

### Decree No. 113/2017/ND-CP - Chemicals to be declared

# International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

# **Montreal Protocol**

Not listed.

# Stockholm Convention on Persistent Organic Pollutants

Not listed.

# Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

# **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.



# Section 16. Other information

<u>History</u>	
Date of printing	: 2-7-2024
Date of issue/ Date of revision	: 2-7-2024
Date of previous issue	: No previous validation
Version	: 1
Unique ID	: D2A5A60AAB0C1EEF8E871690F40D90F1
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HMIS = Hazardous Material Information System (U.S.A.) IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available NFPA = National Fire Protection Association (U.S.A.) SGG = Segregation Group UN = United Nations

# Procedure used to derive the classification

Classification	Justification
	Calculation method Calculation method

### ✓ Indicates information that has changed from previously issued version.

### Notice to reader

IMPORTANT NOTE: The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

